What is the Role of Ankle Nails in Im proving Stability After Ankle Fractures?

siiora
TARSOFIX
ANKLE NAILING SYSTEM
WHAT IS THE ROLE OF
ANKLE NAILS IN IMPROVING
Stability After Ankle Fractures ?
THE FOLLOWING SCREWS THAT USE ARE :-
1. Distal Locking Bolt For Ankle Nail (5 mm Dia.)
2. Proximal Locking Bolt For Ankle Nail (6 mm Dia.)
www.siiora.com | info@siora.net | +91 9810021264

Ankle fractures are quite common, especially after falls, sports injuries, or road accidents. In many cases, simple fixation methods like plates or screws work well. But when the fracture is unstable or the bone quality is poor, maintaining proper alignment becomes more difficult. This is where **ankle nails** come into the picture. They are not used in every case, but in the right situation, they can make a noticeable difference in stability and recovery.

What Are Ankle Nails?

Ankle nails are intramedullary implants placed inside the bone, usually through the heel and into the tibia. Unlike plates, which sit on the surface of the bone, these nails work from within. Because of this position, they provide support along the natural axis of the leg.

They are often used in complex ankle fractures, especially in elderly patients or in cases where soft tissue damage makes open surgery less ideal.

How is stability improved?

One of the main reasons surgeons choose ankle nails is the level of stability they provide. Since the implant is placed inside the bone, it helps control movement at the fracture site

more effectively. The locking screws at both ends of the nail hold the bone fragments in place, reducing the chances of displacement.

This internal support becomes even more useful in osteoporotic bone, where traditional screws may not hold well. The nail shares the load with the bone, rather than putting too much stress on one area.

Support for Early Weight Bearing

In some cases, ankle nails allow patients to start weight bearing earlier than expected. This depends on the fracture type and fixation quality, but the added stability from the nail can make early mobilization safer.

For elderly patients, this is an important advantage. Staying in bed for long periods can lead to other complications, so getting them moving sooner can improve overall recovery.

Less Soft Tissue Disturbance

Another benefit of ankle nailing is that it usually requires smaller incisions compared to plating. This means less disturbance to the surrounding soft tissues. In fractures where swelling or skin condition is a concern, this approach can reduce the risk of wound problems.

It also makes the procedure a better option in patients where healing may already be slow.

When Are Ankle Nails Preferred?

Ankle nails are not the first choice for every fracture. They are more commonly used in:

- Unstable ankle fractures
- Fractures in elderly or osteoporotic patients
- Cases with poor soft tissue condition
- Situations where minimally invasive fixation is preferred

The decision always depends on the fracture pattern and the overall condition of the patient.

Conclusion

Ankle nails play an important role in improving stability in selected ankle fractures. By working from inside the bone, they provide strong support, help maintain alignment, and reduce stress on weak bone. They also allow for smaller incisions and, in some cases, earlier

movement. While they are not needed in every case, they are a valuable option when stability and soft tissue preservation are major concerns.

Visit **World Health Expo** Miami to explore new and improved trauma implants and other healthcare products.

Contact Information

Address:- WZ- 1, 2nd Floor, Phool Bagh, Ram Pura, New Delhi, 110035 INDIA

Mobile :- +91 9810021264

Mail:- siioraorthopaedic@gmail.com

Website:- https://www.siiora.com/

Source:-
https://www.localhomeservicesblog.co.uk/2026/04/20/ankle-nails-improving-stability-after-ankle-fractures/